



Design meets Perfection – Gute
Weine geschmackvoll in Szene
gesetzt

*Design meets perfection – good
wines take the stage in style*



Weinkühlschränke
Wine Cooler



Wein-KühlWürfel *Mini-WineCooler*

Merkmale *Features:*

Glastür *Glass door*

Temperaturkontrolle *Temperature control*

Innenbeleuchtung *Interior lighting*

Umluftkühlung *Fan-assisted cooling*

Temperatur 8-15°C *Temperature 8-15°C*

Türanschlag wechselbar *Reversible door-hang*

3 Draht-Weinregale *3 Wine wire shelves*

Vibrationsarm *Low vibration*

Leise Kühlung *Quiet operation*

Optionen *Options:*

Branding *Branding*

Schloss *Lock*

Edelstahlausführung *Stainless steel construction*

Artikel-Nr. <i>Model no.</i>	Volumen <i>Volume</i>	Gewicht <i>Weight</i>	Höhe <i>Height</i>	Breite <i>Width</i>	Tiefe <i>Depth</i>	Temperatur <i>Temperature</i>	Energieverbrauch <i>Energyconsumtion</i>	0,25 Dosen <i>0,25 cans</i>	0,5 Flaschen <i>0,5 bottles</i>	0,7 Flaschen <i>0,7 bottles</i>
	L	kg	mm	mm	mm	°C	kWh/24h	St. / pcs.	St. / pcs.	St. / pcs.
GCKW45	48	13,4	510	430	480	11 ~ 18	1,00	-	-	16



Weinkühlschrank Wine Cooler

Merkmale *Features:*

Glastür *Glass door*
 7 Draht-Weinregale *7 Wine wire shelves*
 Manuelle Temperaturkontrolle *Manual temperature control*
 Innenbeleuchtung *Interior lighting*
 Türanschlag wechselbar *Reversible door-hang*

Optionen *Options:*

Branding *Branding*
 Digitale Temperaturkontrolle *Digital temperature control*
 Holzrahmen *Wooden frame*
 Holzregale *Wooden shelves*



Artikel-Nr. <i>Model no.</i>	Volumen <i>Volume</i>	Gewicht <i>Weight</i>	Höhe <i>Height</i>	Breite <i>Width</i>	Tiefe <i>Depth</i>	Temperatur <i>Temperature</i>	Energieverbrauch <i>Energyconsumtion</i>	0,25 Dosen <i>0,25 cans</i>	0,5 Flaschen <i>0,5 bottles</i>	0,7 Flaschen <i>0,7 bottles</i>
	L	kg	mm	mm	mm	°C	kWh/24h	St. / pcs.	St. / pcs.	St. / pcs.
GCWK150	150	30	840	500	590	7 ~15	0,86	-	-	40
GCWK280	280	46	1430	500	590	7 ~15	1,50	-	-	65



Bag-In-Box KÜhlschrank & Dispenser *Bag-In-Box Cooler & Dispenser*

Merkmale *Features:*

- Digitale Temperaturanzeige /-kontrolle *Digital temperature display/ control*
- 3 Zapfhähne *3 taps*
- 2 Temperaturzonen *2 temperature zones*
- Rückseitige Abstandhalter *Rear spacer*
- Tropfblech *Drip tray*
- 3 höhenverstellbare Gitterregale *3 height-adjustable wire racks*

Optionen *Options:*

- Branding *Branding*
- Schloss *Lock*
- 1 Temperaturzone *1 temperature zone*



Artikel-Nr. <i>Model no.</i>	Volumen <i>Volume</i>	Gewicht <i>Weight</i>	Höhe <i>Height</i>	Breite <i>Width</i>	Tiefe <i>Depth</i>	Temperatur <i>Temperature</i>	Energieverbrauch <i>Energyconsumption</i>	0,25 Dosen <i>0,25 cans</i>	0,5 Flaschen <i>0,5 bottles</i>	0,7 Flaschen <i>0,7 bottles</i>
	L	kg	mm	mm	mm	°C	kWh/24h	St. / pcs.	St. / pcs.	St. / pcs.
GCBIB110	110	34,8	1200	365	540	0 ~ 18	0,80	3 x 10L / 4 x 5L		